







HISTORY

The LDV brand is an iconic one; its strong origins as a much-loved British manufacturer were founded in 1993.

Since then the company has had many highs and lows and sadly, was disbanded in 2009.

However, the story is far from over! In a fitting tribute to the many thousands of customers and dedicated, hard-working staff that built the LDV brand originally, it has been revived and is once again becoming a familiar sight on the road, both in the UK and across the world.

MANUFACTURER

SAIC Motor – a Fortune 500 company based in Shanghai – is responsible for bringing LDV back to life in 2011 and making it the brand as we know it today. In 2016, SAIC produced over 6,000,000 vehicles for the domestic and export markets, ranking it the 7th largest vehicle manufacturer in the world, producing vehicles for international brands such as VW and GM, along with its own iconic brands – MG and LDV.

The LDV brand has now been re-launched in a number of international markets and is making significant strides in re-establishing itself in Europe and other countries worldwide.

DISTRIBUTOR

The Harris Group is one of Ireland's most renowned vehicle importer distributors with over 50 year's experience in the commercial vehicle sector in Ireland and the UK, and is proud to introduce the new generation LDV V80 van range from SAIC Maxus Automotive Ltd.

Harris Automotive Distributors UC, trading as LDV U.K. & Ireland, as a member of the Harris Group secured the import and distribution rights for the LDV product range in the UK & Ireland.

Through our nationwide dealer network it is our intention to re-build the LDV brand with a strong focus on after-sales activities, thereby ensuring complete customer satisfaction.

BRIGHT FUTURE

A significant investment has been made in the current LDV line up and a number of exciting new vehicles are being added to the range including the electric version of the V80 and the all-new G10 MPV, electric version EG10, T60 pickup 4X4 and D90 SUV.

LDV will continue to develop and grow its vehicle offering, ensuring it remains an iconic brand that really delivers for its drivers.



TECHNOLOGY

Technology is the motor of social development. Consumers use technology to pursue and advance their ideals lifestyles and goals.

Advanced technologies can comprehensively satisfy the specific needs of consumers, and become an indispensable companion in both their work and personal lives. This is the promise that LDV makes.

TRUST

To trust means you rely on the integrity, strength and ability of someone or something.

LDV relies on SAIC's strength as a Fortune 500 company and its commitment to growing the brand. Our customers rely on LDV's ability to deliver - and exceed expectations - every time.



AMBITION

Ambition is the engine of sustainable development and the key to maintaining a lead. Consumers are highly optimistic about the future and maintain confidence. They are confident and believe they can achieve their own ambitions through hard work and commitment.

LDV is ambitious too. As a leading, internationally-renowned brand it is confident that it can continue to expand and innovate, driving and exciting the market.





INTERNATIONALLY RENOWNED AWARD-WINNING ENGINE

The VM Eco-D 2.5 engine powers the LDV V80. Its highly regarded reputation has made this engine standard equipment in many international vehicle brands around the world, making it a solid choice for the LDV V80. VM Motori is based in Cento, Italy and brings Italian flair and innovation to the V80 project.

VM Motori Eco-D 2.5L turbo diesel engine with:

- Bosch electronically controlled common rail direct fuel injection system
- Turbo charger with inter-cooler
- Aluminium cylinder head
- Cast iron block with cylinder wet liners
- Polymer skirted pistons
- Exhaust gas recirculation (EGR)
- 4 cylinders (16 Valves)
- 9.20 x 9.40mm (bore x stroke)
- 2499cc total displacement
- 100kW @ 3800rpm (136 PS)
- 330Nm @ 1800-2600rpm
- 17.5:1 compression ratio
- Euro 5b emission





SPEED MANUAL TRANSMISSION



FUEL TANK



ENGINE POWER

















Transmission Speed Manual
















Reverse Parking Sensors

LDV BUILT TO WORK





Your safety is...








ABS + EBD + BAS Multi-Safety Protection

Commanding Driving Position With Class-Leading Visibility

European Commercial Vehicle Collision Standards





...our priority











Advanced Electronic Stability Programme

Occupant safety is paramount to LDV; this is why we provide standard dual airbags with seatbelt pre-tensioning



Not all vehicles are created equally. The re-launched V80 range of vehicles is available with a host of additional features as standard, taking the stress out of your purchasing decision.

The classic design of the LDV V80 was engineered in Britain in collaboration with many global automotive specialists, well known component suppliers and respected testing organisations.

Electric and heated side mirrors with integrated turn signals

Single sliding door with rear barn door opening up to 255 degrees (LWB Models)

Daytime running lamps Remote central locking Side Impact Protect System (SSIPS) Reverse parking sensor (Four)



Anti-skid Braking System (ABS)
Electronic brake force distribution (BAS)

Brake assist system (BAS)
Driver and passenger airbags

Air conditioning (Front)
Cruise control
Power windows (Front)
FM/ AM/ MP3 Player and bluetooth
Three seater cabin

Driver seat with arm rest

8 way adjustable driver's seat
Dual bench with head rests
Driver and passenger deep door storage
and over head storage
Integrated cup holders



















LDV BUILT TO WORK





LOW ROOF SWB

L 4950

H 2132

W 1998

WB 3100

M³ 6.40

TC 12400









MED ROOF LWB

L 5700

H 2345

W 1998

WB 3850

M³ 10.40

TC 14800









HIGH ROOF LWB

L 5700

H 2552

W 1998

WB 3850

M³ 11.60 **TC** 14800















Lava Gray



Olive Brown

ENGINE
VM Motori Eco-D2.5L turbo diesel engine with:
Bosch electronically controlled com-
mon rail direct fuel injection system
Turbo charger with intercooler
Aluminium cylinder head
Cast iron block with cylinder wet
liners
Polymer skirted pistons
Exhaust gas recirculation (EGR)
4 Cylinders (16 valves)
9.20 x 9.40mm (bore x stroke)
2499cc total displacement
100kW @ 3800rpm (136 PS)
17.5:1 compression ratio
Euro 5b Emissions

STEERING & HANDLING	
Hydraulic power assisted rack &	
pinion steering	•
MIRA tuned suspension and	
steering	>
Macpherson struts (front)	√
Taper leaf springs with gas filled	
shock absorbers (rear)	

PAINT COLOURS*	
Lava Gray (metallic option)	\checkmark
Blanc White	✓
Olive Brown (metallic option)	✓

INTERIOR FEATURES	
Air conditioning (front)	\checkmark
Cruise control	✓
Power windows (front)	✓
FM/ AM/ MP3 Player & Bluetooth	✓
Three seater cabin	✓
Driver's seat with arm rest	√
8 way adjustable driver's seat	✓
Dual bench seat with head rests	√
Driver and passenger deep door storage and over head storage	✓
Integrated cup holders	✓

BRAKES & TYRES	
Hankook 215/75R16C tyres	✓
16" steel wheels	✓
Ventilated front disc brakes, 294mm with twin piston calliper	✓
Solid rear disc brakes, 304mm with single piston calliper, internal drum and show handbrake	✓

SAFETY FEATURES	
Anti-skid braking system (ABS)	✓
Electronic brake force distribution (EBD)	✓
Brake assist system (BAS)	√
Driver and passenger airbags	✓
Side impact protect system (SSIPS)	✓
Remote central locking	√
Reverse parking sensors (four)	1

EXTERNAL FEATURES	
Electric and heated side mirrors	1
with integrated turn signals	
Single sliding doors with rear	/
barn door opening up to 255° **	
Daytime running lamps	✓

CARGO AREA	
Low cargo floor height	√
Non slip entry steps	
Recessed tie down points	√
Easy Clean Non Slip Cargo Mat	✓
Cargo area illumination	1

DIMENSIONS	Low Roof	Med Roof	High Roof
DIMENSIONS	SWB	LWB	LWB
Length (mm)	4950	5700	5700
Width (mm)	1998	1998	1998
Height (mm)	2132	2345	2552
Wheel base (mm)	3100	3850	3850
Turning radius (mm)	12400	14800	14800
Cargo area length (mm)	2550	3300	3300
Cargo area width (mm)	1770	1770	1770
Cargo area height (mm)	1505	1710	1925
Wheel arch width (mm)	1380	1380	1380
Rear door opening width (mm)	1550	1550	1550
Rear door opening height (mm)	1360	1580	1790
Side door opening width (mm)	1100	1290	1290
Side door opening height (mm)	1380	1590	1590
Gross vehicle mass (kg)	3200	3500	3500
Front axle capacity (kg)	1497	1766	1766
Rear axle capacity (kg)	1892	1900	1900
Payload (kg)	1204	1419	1389
Tare weight (kg)	1996	2081	2111
Unbraked towing capacity (kg)	750	750	750
Braked trailer towing capacity	1200	1200	1200
Cargo volume (cubic metres)	6.4	10.4	11.6

✓ Standard

*LDV use Eco Friendly Water Soluble Paints

** LWB Models









Vehicle Type	Body Type	Wheelbase	Cab Style	Chassis Length (Rear Overhang)	Body Length : External (internal) mm.	Body Width : External (internal) mm.	Converted Vehicle Kerb Weight (minimum spec) *	Calculated Payload (minimum Spec)
LDV V80 Chassis Cab	Dropside	3850	Single	Standard	3660 (3600) *	2090 (2030)	2005kg	1495kg
LDV V80 Chassis Cab	Dropside	3850	Single	Standard	3325 (3280) **	2090 (2030)	1975kg	1525kg
LDV V80 Chassis Cab	Dropside	3850	Single	Extended (675mm)	4000 (3890)	2090 (2030)	TBC	TBC
LDV V80 Chassis Cab	Tipper	3850	Single	Standard	3350 (3275)	2100 (2040)	2250kg	1250kg
LDV V80 Chassis Cab	Luton Van	3850	Single	Extended (675mm)	4000 (3890)	2165 (2100)	2375kg	1125kg

^{*} for vehicles less Tail-lift and Towbar ** for vehicles with either Tail-lift or Towbar (not both) *** (minimum spec) is LESS and optional content including Tail-lif

TAKE THE PRESSURE AND WAIT OUT OF BUYING PRE-BODIED CHASSIS CAB AVAILABLE EX-STOCK

LDV CHASSIS CAB

LDVV80	Chassis Cab
Engine	
VM Motori Eco-D2.5L turbo diesel engine with:	✓
Bosch electronically controlled common rail direct fuel injection system	✓
Turbo charger with inter-cooler	✓
Aluminium cylinder head	✓
Cast iron block with cylinder wet liners	✓
Polymer skirted pistons	✓
Exhaust gas recirculation (EGR)	✓
4 Cylinders (16 valves)	✓
9.20×9.40 mm (bore x stroke)	√
2499cc total displacement	✓
100kW @ 3800rpm (136 PS)	✓
330 Nm @ 1800 – 2600rpm	✓
17.5:1 compression ratio	✓
Euro 5b emissions	✓
Transmission	Six speed manual transmission
Fuel Tank	80 litres
Fuel Consumption (combined L/100km as per ADR 81/02)	8.9
Steering & Handling	
Hydraulic power assisted rack and pinion steering	✓
Mira suspension and steering tuning	√
MacPherson struts (front)	√
Taper leaf springs with gas filled shock absorbers (rear)	✓
16" alloy wheels	√
Brakes	
Ventilated front disc brakes, 294mm with twin piston calliper	✓
Solid rear disc brakes, 304mm with single piston calliper, internal drum and shoe handbrake	✓

Safety Features	
Anti skid brakes (ABS)	✓
Electronic brake force distribution (EBD)	✓
Electronic stability programme (ESP)	✓
Brake assist system (BAS)	√
Driver and passenger airbags	✓
Remote central locking	✓
LED parking lamps	✓
Dimensions & Weights	
Length (mm)	5620
Front overhang	854
Rear overhang	916
Width excluding mirrors (mm)	1996
Width including mirrors (mm)	2383
Height (mm)	2136
Ground clearance (mm)	200
Wheel base (mm)	3850
Turning radius (m)	12.4
Gross vehicle mass (kg)	3500
Kerb weight (kg)	1775
Body & payload allowance (kg)	1725
Front axle capacity (kg)	1766
Rear axle capacity (kg)***	2150
Braked & unbraked towing capacity (kg)**	750
Braked & braked towing capacity (kg)**	1200
GTW	4200
Maximum Dimensions with Body	
Maximum length	6409
Buildable cargo length	3890
Buildable overall width	2100

Warranty & Roadside Assist	
5 year/125,000Kms (whichever occurs first)	✓
Interior Features	
Air conditioning (front)	✓
Cruise control	✓
Power windows (front)	✓
FM/AM/MP3 Player	✓
8 way adjustable driver's seat	✓
Dual bench seat with head rest	✓
Auto off headlights	✓
Driver's fold down arm rest	✓
Three seats	✓
Driver and passenger deep door pockets	✓
Exterior Features	
Power side mirrors with integrated turn signals	√
Fog lamps front and rear	√

5 Year Warranty includes Body.*

Subject to Body Builder's specifications.

- * U.K. Market only. T&Cs apply.
- ** Not available on 4 meter Luton / Dropside
- *** Upgraded Chassis Cab

✓ Standard

TAKE THE PRESSURE AND WAIT OUT OF BUYING PRE-BODIED CHASSIS CAB AVAILABLE EX-STOCK















I Hour Fully Charged High-capacity Lithium Battery



Zero Emissions



High-power PMSM Power: 92kW,Torque: 320N·m




Connector Type combo (IEC: 62196)

More energy-efficient, more powerful, cleaner, more environmentally-friendly: This is green power at its best with advanced technology placing it ahead of its time.



Interactive high-tech integrated dashboard system

Not only leading the trend with futuristic design, but also easy-to-read by displaying all data you need.



The most advanced pure electric power system

Large capacity ferric sulphate lithium battery+permanent magnet synchronous motor+smart motor controller brings highly-efficient and stable power supply



Digital intelligent CVT

Intelligent Power Control System: automatically adjusts the torque and output power of the motor under different conditions.



EPB system

Convenient and reliable
Extending the lifespan of parking components

EXTERNAL FEATURES

Electric and heated side mirrors with integrated turn signals Single sliding doors with rear barn door opening up to 255° Daytime running lamps

CARGO AREA

Low cargo floor height
Non slip entry steps
Recessed tie down points
Easy Clean, Non Slip Cargo Mat
Cargo area illumination

INTERIOR FEATURES

Air conditioning (front)
Power windows (front)
FM/ AM/ MP3 Player
Three seater cabin
Driver's seat with arm rest
8 way adjustable driver's seat
Dual bench seat with head rests
Driver and passenger deep door
storage and over head storage
Intergrated cup holders

Item	Unit	LM-VAN	Chassis Cab
Battery kWh		56	56
CVW	kg	2495	2160
GVW	kg	3500	3500
Load Volume	m3	10.2	
Payload	kg	950	900
Mileage (NEDC, half-load)	mile	127	127
Max Gradient	%	24	24
0-100km/hr (sec)	s	24	24

This NEDC (New European Driving Cycle) range is a comparative indication of range measured under very specific conditions and with half load. Exactly as with petrol and diesel cars, when driven under real conditions, this range will vary according to speed, driving style, the terrain of the road and the use of air conditioning / heating. NEDC (New European Driving Cycle) is a standard European measurement of emissions and consumption based on a rolling road test.

Dimensions Med Roof LWB	
Length (mm)	5700
Width (mm)	1998
Height (mm)	2345
Wheel base (mm)	3850
Turning diameter	14800
Cargo area length (mm)	3300
Cargo area width (mm)	1770
Cargo area height (mm)	1710
Wheel arch width (mm)	1380
Rear door opening width (mm)	1550
Rear door opening height (mm)	1580
Side door opening width (mm)	1290
Side door opening height (mm)	1590
Gross vehicle mass (kg)	3500
Front axle capacity (kg)	1745
Rear axle capacity (kg)	1755
Ground clearance (mm)	165

Motor	92kW, 320Nm
-------	-------------

Chassis Cab	
Length (mm)	5620
Front overhang	854
Rear overhang	916
Width excluding mirrors (mm)	1996
Width including mirrors (mm)	2383
Height (mm)	2136
Ground clearance (mm)	165
Wheel base (mm)	3850
Turning radius (m)	12.4
Gross vehicle mass (kg)	3500
Maximum dimensions with body	
Maximum length	6409
Front axle capacity (kg)	1745
Rear axle capacity (kg)	2150

Features of Charge Point	
Input	3-phase AC 400V
Power	20KW or 50KW
High voltage output	DC 400~500V
Low voltage output	12 or 24V
Connector type	combo(IEC: 62196)



Warranty: LDV Peace of Mind

To give you even greater peace of mind, every new LDV vehicle sold through our dealer network comes with a comprehensive five-year warranty package*.

This means that if you encounter any problem during this period caused by a manufacturing fault, we'll sort it out free of charge. A complete warranty information booklet is provided in every new LDV vehicle.

*Five year warranty ~ 125,000 miles (Whichever comes first)

Roadside Assistance : LDV Assist

LDV Assist support teams are on-call and available 24 hours a day, 365 days a year, right across the UK and Ireland. LDV Motor Rescue will be there for you if ever you run into a problem on your journey. A complete LDV Motor Rescue information booklet is provided in every new LDV vehicle.



FLEXIBLE FINANCE

TAILOR-MADE FINANCE SOLUTIONS TO KEEP YOUR BUSINESS ON THE ROAD

LDV offers bespoke finance packages to suit your budget. Smaller up-front costs and manageable monthly repayments make your next vehicle even more accessible. Our flexible finance options include finance lease, which allows you to spread the VAT payments over the course of the agreement. At the end of the lease you have several options including continuing to use the vehicle by paying nominal rentals or part exchange for a new vehicle.

Want to own the vehicle? We also offer hire purchase agreements where the contract length, deposit amount, and frequency of repayments can be tailored to suit your cash flow. You also have the option of a balloon rental which further reduces your monthly payments. To request a tailored finance quote, talk to your local LDV dealer today.









Your local dealer

FIND US @ You Tube O O to 12

LDV U.K. & Ireland www.myldv.co.uk



LDV Disclaimer:

Images shown in this brochure are for illustration purposes only. Actual vehicles may differ and are subject to change. Specifications, standard equipment, options, fabrics and colours are subject to change without notice.

Some features may be unavailable when your vehicle is built. Some vehicles are pictured with options that may be available at extra cost or may not be available on some models. Ask about availability of options and verify that the vehicle you ordered includes the equipment you ordered.

*5 year/125,000 mile warranty and 5 years roadside assistance. Terms and conditions apply.